



The SolarPath **HIGHLIGHT SPWSPL™** is the premier LED solar illumination technology in its class today. Ultra-bright/High Intensity LED lighting means a total lighting solution for any need. The solar panel is wrapped and can be installed on a new or an existing pole. It is new technology. This product has both a solar engine and a LED light. The battery and controller are on the LED head which allow this product to be used for, roads, parking lot, pathway, etc. The lighting fixture can be used up to 80W and can be controlled via remote control.

Technical Specifications

Solar Module Parameters	Type	High-efficiency Monocrystalline Silicon
	Power	Up to 560W
Solar Charge Controller Parameters	Type	MPPT (Maximum Power Point Tracking), infrared solar charging controller
	Battery type and parameters	MnNiCO LifePO4
LED Light Parameters	Light Source Power	Up to 100W
	Lamp Rated Total Luminous Flux	A – 1W/140lm
		B – 1W/130lm
	CCT (Correlated Color Temperature)	3,000K-6,000K
LED Light Parameters	Color Rendering Index (CRI)	≥81
	Light Control Voltage	36VDC
Control Modes	Manual ON/OFF / Automatically ON/OFF / Time Control	
Operation mode	Depend on installation area, can be programed with remote control,	
Lighting Material	Die-casting Aluminum	
Extended Application	Wireless Remote controller	
Optional	GPRS Integrated Management System (Remote control and monitoring)	
Product size	light body	31.4 * 12.2 * 4.5 (inch)
	solar panel	Depend On Solar Panel wattage
Net weight	light body	Depend On LED power
	solar panel	Depend On Solar Panel Wattage

Key features

- Can be installed on existing pole.
- Low installation and maintenance costs.
- Folding solar panel.
- IP 67 Rating.
- Solar powered outdoor lighting.
- Battery, solar controller are built inside of light.
- Good appearance, small size and lightweight, easy to install.
- Rust-proof, dustproof and waterproof.
- Energy saving 100% generated from solar less power consumption than traditional.

Uses and Applications Guide

Streets lighting	●
Parking lots	●
Residential roads	●
Public parks	●
Sports lighting	●



Ordering Guide

EXAMPLE: SPWSPL-A-100W-15W-3-30K-840WH-1-GR-00

Model	Solar Panel Quantity	Solar Panel	Led Power		Distribution Type	Led Color Temp	Battery options LifePO4 / MnNiCO		Arm	LED Body Color	Motion sensor
			A	B			840WH	616WH			
SPWSPL	A – 1 B – 2 C – 3 D – 4	55W 100W 140W	15W 20W 30W 40W 50W 60W	20W 30W 40W 50W 60W 80W 100W	3 – Type III	30K 40K 50K 60K	960WH 1080WH 1200WH 1440WH 2160WH	693WH 760WH 845WH 1014WH 1198WH	1 – Single 2 – Double	GR - Grey	00 – no motion sensor 01 – motion sensor *available type A only

*Solar Panel dimensions- 55W (25.9 in)
100W (45.6 in)
140W (61.4in)



*Up on request

Legal Clarification: All technical information and/or products listings and/or technical support, and/or any kind of graphics, illustrations and/or instructions and/or the names, trade names, trademarks, trade symbols, service marks, logos, icons and trade dress of SolarPath Inc or in connection to SolarPath Inc or any of its selling products, contained herein is in the exclusive ownership of SolarPath Inc and may not be alternated and/or used in any manner including but not limited to copy of some or all of the said material by users and/or viewers or any third party for that matter of this document and the website to which it is linked without the express prior written permission of SolarPath Inc. Furthermore, redistribution or any kind of commercial use or alteration or any kind of use other than downloading presented information in some or all contents of downloadable documents, and/or downloadable contents, is strictly prohibited without express written prior permission. All information set out herein is subject to changes as may occur from time to time. SolarPath Inc is not responsible for, and cannot guarantee and shall not be held liable for any information or the accuracy of such in websites that it does not manage

